



UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Irene Georgakoudi, Michael S. Feld, Qingguo Zhang and Markus G. Mueller

Application No.:

10/052,583

Filed Date: January 18, 2002

Confirmation No.:

9942

Group:

3743

Examiner:

F. Dahbour

For:

System and Methods of Fluorescence, Reflectance and Light Scattering Spectroscopy
for Measuring Tissue Characteristics

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United
States Postal Service with sufficient postage as First Class Mail in an envelope
addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-

1450

on Sept. 30, 2004 Sharon R. Lloyd

Date

Signature

Sharon R. Lloyd

Typed or printed name of person signing certificate

PETITION FOR EXTENSION OF TIME

RECEIVED

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

OCT 12 2004

TECHNOLOGY CENTER R3700

Sir:

Applicant hereby petitions the Commissioner for Patents to extend the time for filing a reply to the Office Action dated March 30, 2004 for three (3) months from June 30, 2004 to September 30, 2004.

	<u>Small Entity</u>	<u>Other than Small Entity</u>
1 month -	\$ 55	\$ 110
2 months -	\$ 210	\$ 420
3 months -	\$ 475	X \$ 950
4 months -	\$ 740	\$1,480
5 months -	\$1,005	\$2,010

A check is enclosed in the amount of the extension fee indicated above, or the extension fee has been included in the check with the accompanying Reply.
 Please charge Deposit Account No. 50-1935 in the amount of \$[] to cover the cost of the extension fee.

Any deficiency or overpayment should be charged or credited to Deposit Account No. 50-1935. One duplicate copy of this letter is enclosed.

Respectfully submitted,

BOWDITCH & DEWEY, LLP

By Thomas O. Hoover

Thomas O. Hoover

Date:

Registration No. 32,470

Direct tel.: (508) 416-2475

Telephone: (508) 879-5700

Facsimile: (508) 929-3073

10/05/2004 CNGUYEN 00000049 10052583

01 FC:1253

950.00 OP

Bowditch & Dewey, LLP
161 Worcester Road
P.O. Box 9320
Framingham, Massachusetts 01701-9320